



1/10th SCALE ELECTRIC 4WD - READY-TO-RUN



# SMT10

## CAUTIONS



To prevent serious personal injury and/or property damage, operate all remotely controlled models in a responsible manner as outlined herein.

### CHOOSE THE RIGHT PLACE TO OPERATE YOUR R/C MODEL.

- Do not run on public streets or highways. This could cause serious accidents, personal injuries, and/or property damage.
- Never run R/C models near people or animals.
- To avoid injury, do not run in confined spaces.
- Do not run where loud noises can disturb others, such as hospitals and residential areas.
- Never run indoors. There is a high risk of fire and/or damage.

### INSPECT YOUR MODEL BEFORE OPERATION.

- Make sure that all screws and nuts are properly tightened. It is also a good idea to use removable thread lock wherever metal screws go into metal, especially for engine mounts.
- Always use fresh batteries for your transmitter and for your receiver to avoid losing control of the model.
- Always test the brakes and throttle before starting your engine to avoid losing control of the model.

### AFTER OPERATION OF YOUR R/C MODEL

- Disconnect the battery from the ESC, then turn off the transmitter. This will prevent runaways.
- Be careful when handling batteries, they will be hot after running.
- Replace any batteries that have been dented or have frayed wires, short circuits can cause fire.
- Be sure to keep your R/C model clean and free of excess dirt and grease, this will increase the life.

## VORSICHT!



Um Verletzungen an Personen und/oder Sachschäden zu vermeiden, sollten alle ferngesteuerten Modelle sorgfältig und verantwortungsbewusst bedient werden, wie nachfolgend beschrieben.

### Wählen Sie den richtigen Platz zum Fahren

- Fahren Sie niemals auf öffentlichen Straßen. Dies könnte Verkehrsunfälle, Personen schäden oder Sachschäden verursachen.
- Fahren Sie niemals in der Nähe von anderen Personen oder Tieren.
- Fahren Sie niemals auf belebten Straßen.
- Fahren Sie nie in der Nähe von Wohnhäusern oder Krankenhäusern. Der Lärm könnte andere Personen stören.
- Fahren Sie niemals in Innenräumen. Dort könnte etwas beschädigt werden.

### Überprüfen Sie Ihr Modell, bevor Sie es in Betrieb nehmen.

- Gehen Sie sicher, dass alle Schrauben und Muttern festgezogen sind. Verwenden Sie überall dort Schrauben-Sicherungslack, wo Metallschrauben in ein Metallgewinde greifen, besonders bei den Motorhaltern.
- Um Störungen zu vermeiden, benutzen Sie immer voll geladene Akkus in Ihrem Sender und Empfänger.
- Bevor Sie den Motor starten, sollten Sie immer die Funktion der Bremse und des Gashebels testen.

### Nach Betrieb des RC Modells:

- Zuerst den Empfänger abdrehen, dann den Sender abdrehen um unkontrolliertes Durchgehen zu vermeiden.
- Seien Sie vorsichtig mit gebrauchten Akkus, sie können nach dem Gebrauch heiß sein.
- Ersetzen Sie Akkus/Batterien die beschädigt sind oder schadhafte Kabel aufweisen, sie können Kurzschlüsse oder Feuer verursachen.
- Halten Sie Ihr Fahrzeug sauber und entfernen Sie Schmutz und Schmierfett, damit erhöhen Sie die Lebensdauer Ihres Modells.

## PRECAUTIONS



Afin d'éviter toutes blessures corporelles et/ou dommages environnants, veuillez procéder en toute responsabilité comme indiqué ci-dessous

### Choisir le lieu adéquat pour faire rouler votre modèle.

- Ne jamais rouler dans les rues ou sur les routes ouvertes au public. Ceci peut provoquer de graves accidents.
- Ne jamais rouler près de personnes ou d'animaux.
- Pour éviter les blessures, ne pas rouler dans des espaces confinés.
- Ne jamais rouler où le bruit peut déranger, comme aux abords des hôpitaux ou des quartiers résidentiels.
- Ne jamais rouler à l'intérieur: les gaz d'échappement sont nocifs.


### Contrôler votre modèle avant chaque utilisation.

- Vérifier que les vis et les écrous sont bien serrés. Il est très fortement conseillé d'utiliser du frein filet pour bloquer les vis qui sont en contact avec du métal et tout particulièrement les vis du moteur.
- Toujours utiliser des batteries bien chargées pour l'émission et la réception.
- Toujours vérifier les freins et la commande des gaz avant de démarrer.


### Après l'Opération De Votre Modèle de R/C

- Le virage du récepteur premier, alors virage de l'émetteur, ceci empêchera des fugitifs.
- Faire attention en contrôlant des piles, ils auront chaud après avoir couru.
- Remplacer n'importe quelles piles qui ont été cabossées ou a éraillé des fils, les court-circuits peuvent causer le feu.
- Être sûr de garder votre modèle de R/C nettoie et libère de terre et la graisse suppléments, ceci augmentera la vie.






Radio control car  
Ferngesteuertes Modellauto  
Voiture radio-commandée




2.4GHz  
Transmitter  
Sender  
Emetteur

Cross wrench  
Steckschlüssel  
Clé à tube




Equipment needed / Benötigtes Zubehör / Equipement nécessaire




x4

4 AA Alkaline Dry Batteries.  
4 St. AA Trockenbatterien.  
4 piles type R6 pour votre  
radio commande.


Battery Li-Po or NiMH  
Akku-Pack  
Pack de batterie






Charger  
Ladegerät  
Chargeur





Tools Recommended / Benötigte Werkzeuge / Outillage




Hex wrench  
Inbusschlüssel  
Clé Allen




Socket driver  
Steckdosezieher  
Clé Douille



Side cutter  
Seitenschneider  
Pinces coupantes




Curved scissors  
Schere  
Ciseaux




Long nose pliers  
Flachzange  
Pinces à becs longs

Modeling knife  
Modellermesser  
Couteau de modéliste



## Charge your battery / Laden des Fahrakkus / Chargement de la batterie



Follow the manufacturer's directions for the charger you purchased to properly charge your batteries.

Folgen Sie den Herstelleranweisungen für den Auflader Ihres gekauften ordentlich, Ihre Batterien zu laden.


Suivre les directions de fabricant pour le chargeur votre a acheté convenablement pour charger vos piles.

**Do not use a Nickel Cadmium or Nickel Metal Hydride battery charger to charge LiPo batteries. Damage to the batteries and charger will likely occur resulting in a fire.**

**Verwenden Sie keine Nickel-Cadmium- oder Nickel-Metall-Hydrid-Akku Ladegerät LiPo-Akkus aufladen. Schäden an den Batterien und Ladegerät wird wahrscheinlich auftreten, was zu einem Brand.**

**Ne pas utiliser un chargeur de batterie au nickel-cadmium ou nickel-métal-hydrure pour recharger les batteries LiPo. Les dommages aux batteries et le chargeur se produira probablement de provoquer un incendie.**


## Battery Tray Adjustment



1. Remove clip to open battery access door

2. Slide battery into tray to check clamp height


3. Remove x4 M3x8mm AXA434 screws




4. Adjust battery clamp to fit snug against battery.

5. Reinstall x4 M3x8mm screws


6. Close battery access door and insert clip




① Remove the body



③ Install and connect the battery



② Turn on the transmitter




④ Reattach the body to vehicle

**Note:**  
Power to the vehicle is controlled by connecting / disconnecting the battery.  
Always unplug the battery when not in use, do not leave vehicle stored plugged in.




## Top View Parts




# Getting-Started Checklist


The following checklist is a guide for getting you vehicle running for the first time.




- ☐ Read 'Cautions' in Manual. (Page 2)




- ☐ Familiarize yourself with vehicle and its components.




- ☐ Even though the vehicle is new check driveshaft setscrews and other screws to make sure they are tight from the factory.




- ☐ Charge battery pack. (Page 4)




- ☐ Install 4X AA batteries into Transmitter. (Page 7)



- ☐ Install battery pack in vehicle. (Page 4)




- ☐ Turn on transmitter FIRST then ESC. (Page 4)




- ☐ Check to make sure steering and throttle operation work correctly. (Page 7)



- ☐ Range check radio system. (Next Page)



- ☐ Drive vehicle, challenge yourself and have fun!



- ☐ Maintain vehicle. (Next Page)



## Range-Checking Your Radio System

The radio system should be checked before operating the vehicle to ensure it's operating properly and has adequate range.




1. Turn on the transmitter first and then the vehicle.
2. Have a friend hold the vehicle while keeping hands and loose clothing away from moving parts.
3. Walk away until you are at the farthest distance you plan to operate the vehicle.
4. Steer the vehicle back and forth and throttle both forward and reverse making sure there is no erratic behavior.
5. If any erratic behavior is exhibited do not operate the vehicle, call customer service for further assistance.




RANGE-CHECKING FOR DISTANCE

## Maintaining Your Vehicle

Just like a full size car or truck your RC vehicle must undergo periodic maintenance in order to ensure peak running performance. Preventative maintenance will also help avoid needless breakages which could result in costly repairs. Below are some suggestions to properly maintain your vehicle.



## AE-5 Forward/Reverse ESC w/ Drag Brake



### Setup:

Throttle calibration should not be needed out-of-the-box. However in order to make the throttle range of different transmitters, the calibration of the ESC is necessary:

- Mount the ESC in an area that is well ventilated and isolated from vibration and shock.
- Connect the ESC motor wires to the motor red-red & black-black.
- Plug the receiver with into the throttle channel on the receiver. The black negative wire should be towards the outside of the receiver.
- Before plugging the battery into the ESC, make sure your transmitter is on and the throttle trim is set at zero.
- Connect the battery to the ESC, this will turn on the ESC.
- Test forward and reverse control using the transmitter.
- To calibrate the ESC, make sure the transmitter is on and the throttle control is at neutral.
- Connect the battery to the ESC and wait 3 seconds to let the ESC initiate a self-test and automatic throttle calibration.

When the ESC is ready to run a long beep sound will be emitted from the motor.

Always disconnect the battery when the vehicle is not in use.

### Notes:

- Drag Brake set to 50% from the factory.
- LiPo Cut-Off is set to "ON" from the factory.

### Specifications:

Input Voltage:	2-3S LiPo, 5-9 Cells NiMH/NiCd
Size:	46,5mm x 34mm x 28,5mm
Weight:	70g
Motor Limit:	12T 2S / 18T 3S
On-Resistance FET:	.002
Rated/Peak Current:	180A
Braking Current:	90A
BEC Voltage/A:	6.0V 3.0A Peak
PWM Frequency:	1KHz

### Beep Sound and LED Status:

1 Short Beep:	Battery is NiMH/NiCd
2 Short Beeps:	Battery is 2S Lipo
3 Short Beeps:	Battery is 3S Lipo
1 Long Beep:	Self-test and throttle calibration is OK and ESC is ready to run



CONNECT THE BATTERY PACK JUST BEFORE DRIVING AND DISCONNECT IT IMMEDIATELY AFTER.  
ALWAYS MAKE SURE YOU ARE CONNECTING THE ESC TO A PROPER POWER SOURCE THAT HAS THE CORRECT VOLTAGE & POLARITY. INCORRECT VOLTAGES OR REVERSED POLARITY WILL DAMAGE THE ESC.  
ONCE THE BATTERY PACK IS CONNECTED, HANDLE THE MODEL WITH EXTREME CARE, MAKE SURE YOU ARE CLEAR OF ALL ROTATING PARTS.



## Gear Ratio / Getriebeübersetzung

Use this equation to calculate the final drive ratio.

**Final Drive Gear Ratio = (Spur/Pinion) X 7.2**

Mit dieser Gleichung können Sie die Gesamtübersetzung berechnen.

**Gesamtübersetzung = (Spur/Pinion) X 7.2**

**Slower - More Torque**  
Langsamer - Mehr Kraft



**Faster - Less Torque**  
Schneller - Weniger Kraft

**\*NOTE: NOT ALL GEAR FITMENT OPTIONS ARE AVAILABLE**

### 32 Pitch 38/13T (Stock Gearing AX30392 or AX30395)

	Spur Gear			
Pinion	56	60	64	68
11	38.69	41.45	44.22	46.98
12	35.47	38.00	40.53	43.07
13	32.74	35.08	37.42	39.75
14	30.40	32.57	34.74	36.91
15	28.37	30.40	32.43	34.45
16	26.60	28.50	30.40	32.30
17	25.04	26.82	28.61	30.40

### 32 Pitch 43/13T (Underdrive Gearing AX30402)

	Spur Gear			
Pinion	56	60	64	68
11	43.78	46.91	50.04	53.16
12	40.13	43.00	45.87	48.73
13	37.05	39.69	42.34	44.98
14	34.40	36.86	39.31	41.77
15	32.11	34.40	36.69	38.99
16	30.10	32.25	34.40	36.55
17	28.33	30.35	32.38	34.40

### 32 Pitch 36/14T (Overdrive Gearing AX30401)

	Spur Gear			
Pinion	56	60	64	68
11	34.04	36.47	38.90	41.33
12	31.20	33.43	35.66	37.89
13	28.80	30.86	32.91	34.97
14	26.74	28.65	30.56	32.47
15	24.96	26.74	28.53	30.31
16	23.40	25.07	26.74	28.41
17	22.02	23.60	25.17	26.74

## Warranty Info

### AXIAL LIMITED WARRANTY

Your Axial product is warranted to be free of defects in materials and workmanship when new in the factory sealed box. This warranty does not cover damages due to normal wear and tear, users' failure to perform routine maintenance, error of assembly or installation, modifications or addition of aftermarket parts or option parts. This warranty lasts as long as the original purchaser owns the product and is not transferable (verified by dated itemized sales receipt accompanied with product). In the event of a defect under this warranty, Axial will, at our discretion, repair or replace the product, provided our inspection indicates that an original defect exists. Axial provides a 10-day warranty from the date of purchase on electronics (i.e. servo, esc, radio). Axial reserves the right to replace any product which is no longer available with a product of comparable value and function. If Axial determines the repair is not covered under warranty guidelines, there could be a charge applied for the repair and return shipping charges. Note: Purchasing products from unauthorized distributors may void warranty and prevent support and service.

### INTERNATIONAL CUSTOMER WARRANTY

Please return product to the dealer where the purchase was made. If your Axial product purchase was made through an on-line retailer, any warranty issues must be taken care of by that retailer. Axial assumes no responsibility for Axial products sold internationally by on-line retailers.

### REPAIR

For warranty repair, please contact Axial Customer Service at (877) 64-AXIAL (877-642-9425).

### HOURS AVAILABLE:

8:00 am - 5:00 pm Monday through Friday, Central Time.

**Problem  
Problem  
Problème**

**Cause  
Grund  
Cause**

**Remedy  
Lösung  
Remède**

**Does not move**  
**Das Auto fährt nicht**  
**Le véhicule ne bouge pas**

**Batteries are not installed properly in the transmitter.**  
**Die Batterien sitzen nicht korrekt im Sender.**  
**Les piles ne sont pas placées correctement dans l'émetteur.**

**Weak or no battery in model.**  
**Leerer oder kein Akku im Auto.**  
**Batterie faible ou non installée**

**Damaged motor.**  
**Kaputter Motor.**  
**Moteur endommagé**

**Frayed or broken wiring.**  
**Beschädigte Verkabelung.**  
**Câble dénudé ou coupe**

**ESC is shut down by heat protection circuit.**  
**Notabschaltung des Reglers wegen Überhitzung.**  
**Le système ESC est fermé par le circuit de protection thermique.**

**Make sure batteries are properly installed.**  
**Legen Sie die Batterien korrekt ein.**  
**Positionnez correctement les piles dans l'émetteur.**

**Install charged battery.**  
**Einbauen eines geladenen Akkus.**  
**Mettez en place une batterie chargée**

**Replace with new motor.**  
**Austausch durch einen neuen Motor.**  
**Remplacez par un nouveau moteur**

**Splice and insulate wiring completely.**  
**Erneuern und isolieren Sie die kaputte Stelle.**  
**Faites une épissure et isolez complètement le câble.**

**Stop driving immediately, do not drive the car until the Speed Controller cools down.**  
**Fahren Sie nicht weiter. Warten Sie bis der Fahrten regler abgekühlt ist.**  
**Arrêtez immédiatement de conduire, ne pilotez pas la voiture tant que le contrôleur de vitesse n'a pas refroidi.**

**No Control.**  
**Keine Kontrolle über das Auto**  
**Pas de contrôle**

**Improper antenna on transmitter or model.**  
**Zu kurze Antenne am Sender oder Auto.**  
**Antenne inadéquate sur l'émetteur ou le véhicule**

**Weak or no batteries in transmitter or model.**  
**Leere oder keine Batterien im Sender oder Auto.**  
**Batterie faible ou absente dans l'émetteur ou le véhicule.**

**Neutral position or trim is incorrect.**  
**Neutralposition oder Trimmung sind verstellt.**  
**La position neutre est incorrecte ou le trim n'est pas réglé.**

**Are the receiver and battery connections properly connected?**  
**Sind der Empfänger und die Batterieverbindungen ordentlich verbunden?**  
**Son conectadas apropiadamente las conexiones del receptor y la batería?**

**Install charged or fresh batteries.**  
**Einbauen voller Batterien.**  
**Mettez des batteries rechargées ou neuves.**

**Fully extend antenna.**  
**Ziehen Sie die Antenne vollständig aus.**  
**Dépliez complètement l'antenne.**

**Adjust the steering trim.**  
**Stellen Sie die Lenkungstrimmung neu ein.**  
**Réglez le trim de direction.**

**Check receiver and battery connections.**  
**Prüfen Sie Empfänger und Batterieverbindungen.**  
**Compruebe conexiones de batería y receptor.**

**Steering and Throttle Function Reversed.**  
**Lenkung und Gas funktionieren genau verkehrt herum.**  
**Direction et accélération inverses.**


**Servo reverse switch is in wrong position.**  
**Servorichtungs-Schalter ist in der falschen Position.**  
**L'interrupteur de marche arrière du servo est dans la mauvaise position**

**Please check that the wires from ESC to motor are connected properly.**  
**Bitte überprüfen Sie, ob die Kabel vom Regler zum Motor richtig sitzen.**  
**Veuillez vérifier que les fils allant de l'ESC au moteur sont correctement raccordés.**


**Set to correct position.**  
**Satz, Position zu korrigieren**  
**Vérifiez la position correcte**

**Check to make sure motor and ESC are properly connected.**  
**Kontrolle sich zu vergewissern, dass Motor und ESC ordentlich verbunden sind.**  
**Le contrôle pour assurer que le moteur et ESC est convenablement connecté.**







**AX80018**  
Hardware  
Parts Tree **x3**




**AX31463**  
Servo Set **x1**




**AX31300**  
10mm Shock  
Parts Tree 2 (Blue) **x2**




**AX80033**  
10mm Shock Set 1 **x2**




**AX31301**  
10mm Shock Caps  
Parts Tree (Blue) **x2**




**AX31317**  
AR60 Differential Cover and PTO **x2**




**AX80078**  
Transmission Gear Cover **x1**




**AX80069**  
Offset Axle Housing **x2**




**AX31114**  
WB8 Driveshaft **x2**




**AX80072**  
Offset Axle 4 link mount **x1**




**AX31354**  
AR60 Heavy Duty C-Hub Carrier **x1**




**AX31316**  
AR60 Dual Shear  
Steering Knuckle Set **x1**



**AX80131**  
Helmet Set (Black) **x1**



**AX80071**  
Straight Axle Adapter Rear **x1**




**AX31109**  
Yeti™ Rear 4 Link Set **x2**


**AX31359**

Monster Truck Skid Plate and  
Battery Capture(Black)

x1





AX31348



**AX80009**

Transmission Set


x1



**AX31366**

2.2 Monster Truck Wheels  
63mm (Orange)


x4



**AX31179**

Tube Frame Electronics Box


x1



**AX31353**

Monster Truck Body Post Set


x1



**AX31362**

Monster Truck Cage Front and Rear  
(Black)


x1



**AX31113**

Yeti™ Rear Sway Bar Mount Set


x1



**AX31058**

Yeti Rear Sway Bar 3.0mm

x1



**AX31083**



Radio Box Seal

x1

**AX31349**

AR60 Heavy Duty Steering Linkage


x1




**AX31361**

Monster Truck Cage Roof and Hood (Black)


x1



**AX31357**  
Monster Truck Cage Side  
(Left) (Black) **x1**




**AX31358**  
Monster Truck Cage Side  
(Right) (Black) **x1**




**AX31360**  
Monster Truck Electronics and  
Battery Tray (Black) **x1**





**AX31367**  
Monster Jam Truck MAX-D  
Face and Fingers (Chrome) **x1**




**AX31426**  
Monster Jam Truck MAX-D  
Fenders and Spikes (Chrome) **x1**


# Parts Reference / Übersicht aller Teile / Référence des pièces




**AX30413**  
Slipper spring 8.5x12 **x1**




**AX30394**  
20T Drive Gear **x1**




**AX30390**  
Differential Gear Set **x4**



**AX30391**  
Differential Gear Set **x4**



**AX30722**  
Pinion 32DP 11T **x1**




**AX80010**  
Gear Set **x1**




**AX30408**  
Input Shaft 5x29mm **x2**



**AX31148**  
WB8-HD Joint Male Universal **x4**



**AX30385**  
Diff Gasket 16x25x0.5mm **x2**




**AX80002**  
Diff Case -Small **x2**



**AX30113**  
Rubber Bump Stop 3.6x7x4 **x4**




**AX30112**  
Shock Diaphragm 13x4.5mm **x4**




**AX31148**  
WB8-HD Joint 10X15mm **x4**



**AX31027**  
4x11mm Bushing **x1**




**AX30429**  
12mm Aluminum Hub **x4**




**AX31180**  
Aluminum Spur Gear Spacer **x1**




**AX31296**  
Spring 14x90mm 2.78lbs/in Firm (Yellow) **x2**




**AX30213**  
Spring 14x90mm 1.32lbs/in Super Soft (Red) **x2**




**AX31296**  
Shock Body 12x59mm **x4**




**AX30368**  
Axle 6x39mm **x2**




**AX30491**  
AX10 Scorpion Motor Plate **x1**



**AX31149**  
Top Shaft 5x54.50mm **x1**




**AX31054**  
Shock Shaft 3x71 **x4**




**AX30419**  
Solid Axle Dogbone 7x69mm **x1**




**AX30776**  
Straight Axle Shaft 6x104.2mm **x2**




**AX30419**  
Solid Axle Dogbone 7x125mm **x1**




**AX30776**  
Straight Axle Shaft 6x160.2mm **x1**




**AX31027**  
Spur Gear 32P 56T **x1**




**AX30435**  
Outdrive Shaft **x1**



**AX30435**  
Outdrive Shaft **x1**




















































**AX31026**  
Slipper Plate **x2**




**AX31068**  
Slipper Pad **x2**


# Parts Reference / Übersicht aller Teile / Référence des pièces


	<b>AX30162</b> PIN 1.5 x8	<b>x1</b>		<b>AXA1059</b> 6mm Body Clip	<b>x5</b>		<b>AXA115</b> M3x10mm	<b>x13</b>
	<b>AX31028</b> PIN 2.0 x11	<b>x8</b>					<b>AXA116</b> M3x12mm	<b>x2</b>
	<b>AX30163</b> Pin 2x10mm	<b>x2</b>		<b>AX30450</b> Flange Pipe 3x4.5x5.5	<b>x4</b>		<b>AXA117</b> M3x15mm	<b>x15</b>
	<b>AX30190</b> Shaft 5x18	<b>x1</b>		<b>AX30810</b> Universal joint Axle Pin holder	<b>x4</b>		<b>AXA118</b> M3x18mm	<b>x2</b>
	<b>AX30170</b> Pin 3x22mm	<b>x2</b>		<b>AXA180</b> M3x3mm	<b>x10</b>		<b>AX31280</b> M2.6x6mm	<b>x10</b>
	<b>AXA1393</b> E2.5 e-clip	<b>x2</b>		<b>AXA291</b> M4x4mm Set Screw	<b>x1</b>		<b>AXA0113</b> M3x6mm	<b>x9</b>
	<b>AXA1045</b> M4 Nylon Lock Nut	<b>x5</b>		<b>AXA0286</b> M4x12mm Screw Shaft	<b>x8</b>		<b>AXA433</b> M3x6mm	<b>x16</b>
	<b>AXA1041</b> M2.5 Nylon Lock Nut	<b>x4</b>		<b>AXA0109</b> M3x10mm Oversize Flat Hex Socket	<b>x4</b>		<b>AXA434</b> M3x8mm	<b>x9</b>
	<b>AXA1052</b> M3 Thin Nylon Locking Hex Nut	<b>x10</b>		<b>AXA013</b> M2x6mm Hex Socket Cap Head	<b>x4</b>		<b>AXA436</b> M3x12mm	<b>x16</b>
	<b>AXA1053</b> M3 Thin Nylon Locking Hex Nut	<b>x4</b>					<b>AXA0437</b> M3x15mm	<b>x4</b>
	<b>AXA1069</b> Washer 2.7x6.7x0.5 mm	<b>x8</b>		<b>AXA015</b> M2x10mm	<b>x16</b>		<b>AXA438</b> M3x18mm	<b>x2</b>
	<b>AXA1070</b> Washer 3x6x0.5 mm	<b>x3</b>		<b>AXA083</b> M3x6mm	<b>x2</b>		<b>AXA0414</b> M2.6x10mm	<b>x10</b>
	<b>AXA1218</b> Bearing 5x10x4mm	<b>x4</b>		<b>AXA087</b> M3x16mm	<b>x8</b>		<b>AXA144</b> M3x8mm	<b>x8</b>
	<b>AXA1184</b> O-Ring 7.5x1.5mm	<b>x4</b>		<b>AXA088</b> M3x20mm	<b>x1</b>		<b>AX31185</b> M3x10mm	<b>x2</b>
	<b>AXA1202</b> O-Ring 3.5x2mm	<b>x8</b>		<b>AXA089</b> M3x25mm	<b>x3</b>		<b>AXA465</b> M3x10mm	<b>x10</b>
	<b>AXA1221</b> Bearing 5x11x4mm	<b>x21</b>		<b>AXA091</b> M3x30mm	<b>x2</b>		<b>AXA466</b> M3x12mm	<b>x2</b>
	<b>AXA1230</b> Bearing 10x15x4mm	<b>x6</b>					<b>AXA0467</b> M3x16mm	<b>x6</b>
	<b>AXA1225</b> Bearing 8x16x5mm	<b>x2</b>						



**Exploded View / Explosionsansicht / Vue éclatée**

















## Parts List

### Part # Description

AX24004	877493004866	Axial 27T Electric Motor
AX30112	877493007096	Shock Diaphragm 13x4.5mm (6pcs)
AX30113	877493007089	Rubber Bump Stop 3.6x7x4 (6pcs)
AX30162	877493002923	Pin 1.5x8mm (6pcs.)
AX30163	877493002930	Pin 2.0x10mm (6pcs.)
AX30170	877493002954	Shaft 3 x 22 (2pcs)
AX30190	877493002961	Shaft 5x18 (2pcs.)
AX30213	877493004200	Spring 14x90mm 1.32 lbs/in - (Red)
AX30216	877493004224	Spring 14x90mm 2.78 lbs/in - Firm (Yellow)
AX30368	877493009656	Axle 6x39mm (2pcs)
AX30385	877493002992	Diff Gasket 16x25x0.5mm (2pcs)
AX30390	877493004644	Differential Gear Set
AX30392	877493003005	Bevel Gear Set (38/13)
AX30394	877493003739	20T Drive Gear
AX30408	877493009663	Input Shaft 5x29mm (2pcs)
AX30413	877493004439	Slipper spring 8.5x12 165 lbs/in - Black (2pcs)
AX30419	877493009670	AR60 OCP Front Dogbone Set
AX30429	877493004668	12mm Aluminum Hub (Black) (4pcs)
AX30435	877493009687	Steel Outdrive Shaft Set (2pcs)
AX30450	877493003067	Flange Pipe 3x4.5x5.5 (4pcs)
AX30491	877493004675	AX10 RTR Motor Plate
AX30722	816874011543	Pinion Gear 32P 11T (3mm shaft)
AX30727	816874011277	Pinion Gear 32P 16T (3mm shaft)
AX30776	877493009731	AR60 OCP Rear Axle Set (2pcs)
AX30810	816874010935	EXO™ Universal Joint Rebuild Set (Front or Rear) (2pcs)
AX31026	816874012281	Slipper Plate Washer 33x5x1.5mm (2pcs)
AX31027	816874012298	Spur Gear 32P 56T
AX31028	816874012366	Pin 2.0x11mm (6pcs)
AX31054	816874012670	Shock Shaft 3x71mm (2pcs)
AX31058	816874012755	Yeti™ Rear Sway Bar (3pcs) (Soft, Medium, Firm)
AX31068	816874012373	Slipper Pad 32.8x15.2x1mm (2pcs)
AX31083	816874012663	Radio Box Seals
AX31109	816874012489	Yeti™ Rear 4 Link Set
AX31113	816874012526	Yeti™ Rear Sway Bar Mount Set
AX31114	816874012533	WB8-HD Driveshaft
AX31144	816874012311	AE-5 Waterproof Forward/Reverse ESC w/ Drag Brake
AX31148	816874012656	WB8-HD Driveshaft Coupler Set
AX31148	816874012656	WB8-HD Driveshaft Coupler Set
AX31149	816874012274	Slipper Drive Gear Shaft 5x54.50mm
AX31179	816874014278	Tube Frame Electronics Box
AX31180	816874014223	Aluminum Spur Gear Spacer
AX31185	816874013103	M3x10mm Hex Socket Flat Head (Black) (10pcs)
AX31280	816874014841	M2.6x6mm Hex Socket Button Head (Black) (10pcs)
AX31296	816874015251	Aluminum Shock Body 12x59mm (Clear Anodized) (2pcs)
AX31316	816874015077	AR60 Double Shear Steering Knuckle Set
AX31317	816874015084	RR10 AR60 Axle Component Set
AX31344	816874016548	2.2 BKT Monster Jam Tires – R35 Compound (2pcs)
AX31349	816874016326	AR60 Heavy Duty Steering Linkage
AX31353	816874016395	Monster Truck Body Post Set
AX31354	816874016401	AR60 Heavy Duty C-Hub Carrier
AX31356	816874016425	Monster Truck Driver Interior Set - .040" (Clear)
AX31357	816874016432	Monster Truck Cage Side (Left)
AX31358	816874016449	Monster Truck Cage Side (Right)
AX31359	816874016456	Monster Truck Skid Plate and Battery Capture
AX31360	816874016463	Monster Truck Electronics and Battery Tray
AX31361	816874016470	Monster Truck Cage Roof and Hood
AX31362	816874016487	Monster Truck Cage Front and Rear
AX31366	816874016531	2.2 Monster Truck Wheels – 63mm (Orange) (2pcs)
AX31367	816874016579	MAX-D Face and Fingers (Chrome)
AX31368	816874016494	Monster Truck Chassis Side Plates - .040" (Clear)
AX31426	816874016586	MAX-D Fenders and Spikes (Chrome)
AX31427	816874016562	Monster Truck MAX-D Body - .040" (Pre-Printed)
AX31436	816874016210	Helmet Set (Glow in the Dark)
AX31463	816874016500	Servo Saver Assembly (Flat Band Spring)
AX80002	877493003135	Diff Case -Small
AX80009	877493003203	Transmission Set
AX80010	877493003210	Gear Set
AX80018	877493004729	Hardware Parts Tree
AX80033	877493007058	10mm Shock Parts Tree 1
AX80034	877493007041	10mm Shock Parts Tree 2
AX80035	877493007034	10mm Shock Caps Parts Tree

### Part # Description

AX80069	877493009847	AR60 OCP Axle Housing
AX80071	877493009861	AR60 OCP Straight Axle Adapter
AX80072	877493009878	AR60 OCP 4-Link Mount
AX80078	877493009632	Transmission Spur Gear Cover
AXA0109	816874012038	M3x10mm Oversized Flat Hex Socket (Black) (10pcs)
AXA0113	877493009786	M3x6mm Hex Socket Button Head (Black) (10pcs)
AXA013	877493003265	M2x6 mm Cap Head (Black) (10pcs)
AXA015	877493003272	M2x10mm Cap Head (Black) (10pcs)
AXA0286	816874010874	Screw Shaft M4x2.5x12mm (6pcs)
AXA0414	877493008895	M2.6x10mm Hex Socket Tapping Flat Head (Black) (10pcs)
AXA0437	877493008918	M3x15mm Hex Socket Tapping Button Head (Black) (10pcs)
AXA0439	877493009823	M3x20mm Hex Socket Tapping Button Head (Black) (10pcs)
AXA0467	877493008925	M3x16mm Hex Socket Tapping Flat Head (Black) (10pcs)
AXA083	877493004750	M3x6mm Cap Head (Black) (10pcs)
AXA087	877493003326	M3x16mm Cap Head (Black) (10pcs)
AXA088	877493003333	M3x20mm Cap Head (Black) (10pcs)
AXA089	877493003340	M3x25mm Cap Head (Black) (10pcs)
AXA091	877493007539	M3x30mm Cap Head - Black (10pcs)
AXA1041	877493007232	M2.5 Nylon Locking Hex Nut - Silver (10pcs)
AXA1045	877493003364	M4 Nylon Lock Nut (Black) (10pcs)
AXA1052	877493008789	M3 Thin Nylon Locking Hex Nut (Black)
AXA1053	877493003388	M3 Nylon Locking Hex Nut (Black) (10pcs)
AXA1059	877493003395	6mm Body clip (Black) (10pcs)
AXA1069	877493007225	Washer 2.7x6.7x0.5 (10pcs)
AXA1070	877493003401	Washer 3x6x0.5 (10pcs)
AXA114	877493003449	M3x8mm Hex Socket Button Head (Black) (10pcs)
AXA115	877493007942	M3x10mm Hex Socket Button Head (Black) (10pcs)
AXA116	877493007522	M3x12mm Hex Socket Button Head - Black (10pcs)
AXA117	877493007935	M3x15mm Hex Socket Button Head (Black) (10pcs)
AXA118	877493007515	M3x18mm Hex Socket Button Head - Black (10pcs)
AXA1184	877493006730	O-Ring 7.5x1.5mm (S8) - (10pcs)
AXA1202	877493007201	O-Ring 3.5x2mm (10pcs)
AXA1218	877493003470	Bearing 5x10x4mm (2pcs)
AXA1221	877493003494	Bearing 5x11x4mm (2pcs)
AXA1225	877493003500	Bearing 8x16x5mm (2pcs)
AXA1230	877493003517	Bearing 10x15x4mm
AXA1393	877493003593	E2.5 e-clip (10pcs)
AXA144	877493008093	M3x8mm Hex Socket Flat Head (Black) (10pcs)
AXA180	877493003616	M3x3mm Set Screw (Black) (10pcs)
AXA291	877493004187	M4x4mm Set Screw (Black) (6pcs.)
AXA434	877493008079	M3x8mm Hex Socket Tapping Button Head (Black) (10pcs)
AXA436	877493008048	M3x12mm Hex Socket Tapping Button Head (Black) (10pcs)
AXA438	877493008055	M3x18mm Hex Socket Tapping Button Head (Black) (10pcs)
AXA465	877493008178	M3x10mm Hex Socket Tapping Flat Head (Black) (10pcs)
AXA466	877493008161	M3x12mm Hex Socket Tapping Flat Head (Black) (10pcs)

## Option Parts

### Part # Description

AX08061	877493008772	2.2 VWS Beadlock Wheels (Black) (2pcs) (Fits XR10)
AX08069	877493008956	2.2 VWS Beadlock Rings (Black) (2pcs)
AX08132	877493008963	2.2 VWS Machined Beadlock Rings (Orange) (2pcs)
AX08133	877493009038	2.2 VWS Machined Beadlock Ring (Grey) (2pcs)
AX08135	877493009779	2.2 Raceline Renegade Wheels - 41mm Wide (Black) (2pcs)
AX08137	877493009762	2.2 Raceline Renegade Wheels - 41mm Wide (Chrome/Black) (2pcs)
AX08141	816874011963	2.2 Trail Ready HD Series Beadlock w/Slim Ring - IFD™ Wheels - Black(2pcs)
AX08142	816874012007	2.2 Trail Ready HD Series Beadlock w/Slim Ring - IFD™ Wheels - Chrome/Black(2pcs)
AX12015	877493009519	2.2 Ripsaw Tires - R35 Compound (2pcs)
AX12021	816874011949	2.2 BFGoodrich Krawler T/A - R35 Compound (2pcs)
AX12022	816874012052	2.2 Maxxis Trepador Tires - R35 Compound (2pcs)
AX24003	816874010096	20T Electric Motor
AX24007	877493005863	Axial 55T Electric Motor
AX24010	816874011703	Brushless 2900KV Electric Motor
AX24251	877493006893	Axial NVS - Night Visions System
AX24252	877493006976	Axial Double LED Light String (White LED)
AX24253	877493006969	Axial Double LED Light String (Red LED)
AX24254	877493006952	Axial Double LED Light String (Orange LED)

## Option Parts

Part #	Description	Part #	Description
AX24255	877493006945 Axial Single LED Light String (White LED)	AX13130	816874015022 55T Trail Breaker Electric Motor (Rebuildable)
AX24256	877493007010 Axial 5 LED Light String (White LED)	AX13131	816874015039 RR10 Rear Sway Bar Set (Soft)
AX24257	877493007614 Simple LED Controller w/LED lights (4 white and 2 Red)	AX13138	816874015428 Trail Breaker Electric Motor Rebuild Kit
AX24258	816874010065 4 LED Light String (White LED)	AX13136	816874016333 Monster Truck Cage Side (Left) (Green)
AX24259	877493008451 Axial AE-2 Forward/Reverse ESC w/ Drag Brake	AX13147	816874016340 Monster Truck Cage Side (Right) (Green)
AX24260	816874011055 AE-3 Vanguard ESC	AX13148	816874016357 Monster Truck Skid Plate and Battery Capture (Green)
AX30092	877493007126 Axial 72-103mm Shock Set - 10mm Piston (2pcs)	AX13150	816874016364 Monster Truck Electronics and Battery Tray (Green)
AX30110	877493007119 Axial Aluminum 13mm Aluminum Preload Collar (2pcs)	AX13151	816874016371 Monster Truck Cage Roof and Hood (Green)
AX30111	877493007102 Axial Aluminum Shock Cap (2pcs)	AX13152	816874016388 Monster Truck Cage Front and Rear (Green)
AX30214	877493004217 Spring 14x90mm 1.71 lbs/in - (White)	AX13155	816874016418 Monster Truck Motor Details (Chrome)
AX30215	877493003746 Spring 14x90mm 2.25 lbs/in - Medium (Green)	AX13163	816874015480 2.2 Method Beadlock Wheels - IFD™ Wheels - Green (2pcs)
AX30217	877493004231 Spring 14x90mm 3.01 lbs/in - Super Firm (Blue)	AX13163	816874015480 2.2 Method Beadlock Wheels - IFD™ Wheels - Green (2pcs)
AX30395	877493004071 Heavy Duty Bevel Gear Set - 38T/13T	AX13164	816874015497 2.2 Method Beadlock Wheels - IFD™ Wheels - Orange (2pcs)
AX30401	877493006860 Heavy Duty Bevel Gear Set - 36T/14T	AX13164	816874015497 2.2 Method Beadlock Wheels - IFD™ Wheels - Orange (2pcs)
AX30402	877493006891 Heavy Duty Bevel Gear Set - 43T/13T	AX13165	816874015503 2.2 Method Beadlock Wheels - IFD™ Wheels - White (2pcs)
AX30438	877493007188 Machined Shock Piston 10mm - 1.2x2 (4pcs)	AX13165	816874015503 2.2 Method Beadlock Wheels - IFD™ Wheels - White (2pcs)
AX30482	877493003081 AX10 Scorpion Motor Plate	AX131425	816874016104 Spring 14x90mm 2.78 lbs/in - Yellow (2pcs) (Blue Springs)
AX30500	877493004682 Heavy Duty Locker (2pcs)	AX131428	816874016128 AR60 Steering Upgrade Kit (Aluminum)
AX30708	816874012021 AX10 Locked Transmission - Complete Metal Gear Set - Steel (3pcs)	AX131429	816874016135 AR60 Machined High Clearance Differential Cover (Hard Anodized)
AX30722	816874011543 Pinion Gear 32P 11T (3mm shaft)	AX131430	816874016142 King Shocks Aluminum Caps and Collars Set - 12mm (Blue) (4pcs)
AX30724	816874011246 Pinion Gear 32P 13T (3mm shaft)	AX131431	816874016159 Aluminum Shock Spring Retainer - 12mm (Blue) (2pcs)
AX30725	816874011253 Pinion Gear 32P 14T (3mm shaft)	AX131432	816874016166 AR60 Machined Servo Plate and Mounts Set (Hard Anodized)
AX30726	816874011260 Pinion Gear 32P 15T (3mm shaft)	AX131433	816874016173 AR60 Machined Link Mounts (Hard Anodized) (2pcs)
AX30727	816874011277 Pinion Gear 32P 16T (3mm shaft)	AX131434	816874016180 AR60 Machined Steering Knuckles (Hard Anodized) (2pcs)
AX30728	816874011284 Pinion Gear 32P 17T (3mm shaft)	AX131435	816874016197 Aluminum Shock Spring Retainer - 12mm (Black) (2pcs)
AX30760	877493009137 XR10 Aluminum Steering Knuckle (Black) (2pcs)	AX131459	816874016296 Monster Truck Grave Digger Body - .040" (Pre-Printed)
AX30762	877493009144 XR10 Aluminum C-Hub Carrier (Black) (2pcs)	AX131461	816874016524 2.2 Monster Truck Wheels - 63mm (Green) (2pcs)
AX30780	816874010140 AR60 OCP Universal Axle Set	AX131464	816874016517 2.2 Monster Truck Wheels - 63mm (Silver) (2pcs)
AX30789	816874010188 AR60 OCP Aluminum Straight Axle Hub Carrier (2pcs)	AX80045	877493007997 Axial Light Bucket Set (Black)
AX30829	816874010386 AR60 OCP Machined Low-Profile Differential Cover	AX80047	877493007393 Interior Details Parts Tree - Chrome
AX30830	816874010393 Axial AR60 OCP Machined Link Mounts	AX80049	877493007973 Axial LED Lens Set - Yellow/Clear (4pcs)
AX30831	816874010287 AR60 OCP™ Front Axle Set (Complete)	AX80070	877493009854 AR60 OCP Differential Cover
AX30834	816874010409 Aluminum Servo Horn 23T	AX80073	877493009885 AR60 OCP Steering Link
AX30835	816874010416 Aluminum Servo Horn 24T	AX80085	816874010638 Universal Mount 5 Bucket Light Bar (Black)
AX30836	816874010423 Aluminum Servo Horn 25T	AX80086	816874010621 Light Bar Lenses (Clear) (5pcs)
AX30860	816874011512 Machined Motor Plate (Hard Anodized)	AX80131	816874012120 Helmet Set
AX31047	816874012380 Brushless 3150KV Electric Motor	AX8091	877493002046 Axial 2.2 Rockster Beadlocks (Black)
AX31058	816874012755 Yeti™ Rear Sway Bar (3pcs) (Soft, Medium, Firm)	AX8092	877493002053 Axial 2.2 Rockster Beadlocks (Chrome)
AX31069	816874014766 Metal Spur Gear 32P 68T	AX8095	877493002060 Axial 2.2 Rockster Beadlocks (Black Chrome)
AX31077	816874014414 2.2 Falken Wildpeak M/T - R35 Compound (2pcs)	AX8097	877493004453 2.2 8 Hole Beadlocks (Black)
AX31097	816874012243 3 Port High Output LED Controller	AX8112	877493002619 2.2 Beadlock Ring - Grey (2pcs)
AX31098	816874012250 8 LED Light String (White LED)	AX8117	877493002664 2.2 Rock Beadlock Ring - Grey (2pcs)
AX31118	816874012342 2.2 Walker Evans Wheels - IFD™ Wheels - Black (2pcs)	AXA1076	816874011437 Cap Head Washer M3x10mm (4pcs)
AX31136	816874012885 Icon 87-125mm Aluminum Shock Set - 10mm Piston (2pcs)	AXA1101	877493003432 Cone Washer 3x6.9x2mm (6pcs)
AX31138	816874012632 Aluminum Shock Body 12x59mm (2pcs)	AXA1104	877493005443 Cone Washer 3x6.9x2mm - Orange (6pcs)
AX31152	816874012229 Universal Rigid Light Bar Set	AXA1105	877493006020 Cone Washer 3x6.9x2mm - Grey (6pcs)
AX31153	816874012816 Spring 14x90mm 0.90 lbs/in - Black (2pcs)	AXA1331	877493003555 Flanged Ball 3x5.8x7mm (6pcs)
AX31154	816874012823 Spring 14x90mm 1.01 lbs/in - Purple (2pcs)	AXA1412	877493006037 0.5x6mm Spacer - Grey (6pcs)
AX31155	816874012830 Spring 14x90mm 1.14 lbs/in - Orange (2pcs)	AXA1413	877493006044 1x6mm Spacer - Grey (6pcs)
AX31160	816874012922 Steel Spur Gear 32P 68T	AXA1414	877493006051 2x6mm Spacer - Grey (6pcs)
AX31161	816874012939 Steel Spur Gear 32P 64T	AXA1415	877493006068 3x6mm Spacer - Grey (6pcs)
AX31162	816874012946 Steel Spur Gear 32P 60T	AXA1416	877493006075 4x6mm Spacer - Grey (6pcs)
AX31163	816874012953 Steel Spur Gear 32P 56T	AXA1417	877493006082 5x6mm Spacer - Grey (6pcs)
AX31171	816874013028 Icon 72-103mm Aluminum Shock Set - 10mm Piston (2pcs)	AXA1418	877493006099 6x6mm Spacer - Grey (6pcs)
AX31173	816874013042 Icon 93-137mm Aluminum Shock Damper Set - 10mm Piston (2pcs)	AXA1419	877493006105 7x10mm Post - Grey (2pcs)
AX31178	816874014261 2.2 Method Beadlock Wheels - IFD™ Wheels - Black (2pcs)	AXA1420	877493006112 7x15mm Post - Grey (2pcs)
AX31188	816874013134 Icon Aluminum Shock Body 12x47.5mm (2pcs)	AXA1421	877493006129 7x20mm Post - Grey (2pcs)
AX31191	816874013165 Icon Shock Cap (12mm) (2pcs)	AXA1422	877493006136 7x25mm Post - Grey (2pcs)
AX31244	816874014339 Upper Link Plate Set (Aluminum) (4pcs)	AXA1423	877493006143 7x30mm Post - Grey (2pcs)
AX31245	816874014346 Lower Link Plate Set (Aluminum) (4pcs)	AXA1424	877493006150 7x35mm Post - Grey (2pcs)
AX31250	816874014391 M4 Serrated Nylon Lock Nut (Black) (10pcs)	AXA1425	877493006167 7x40mm Post - Grey (2pcs)
AX31296	816874015251 Aluminum Shock Body 12x59mm (Clear Anodized) (2pcs)	AXA1426	877493006174 7x45mm Post - Grey (2pcs)
AX31297	816874015367 Spring 14x90mm 2.25 lbs/in - Green (2pcs) (Blue Springs)	AXA1427	877493006181 7x50mm Post - Grey (2pcs)
AX31297	816874015367 Spring 14x90mm 2.25 lbs/in - Green (2pcs) (Blue Springs)	AXA1428	877493006198 7x55mm Post - Grey (2pcs)
AX31300	816874015268 10mm Shock Parts Tree 2 (Blue)	AXA1429	877493006204 7x60mm Post - Grey (2pcs)
AX31301	816874015275 10mm Shock Caps Parts Tree (Blue)	AXA1430	877493006211 7x65mm Post - Grey (2pcs)
AX31312	816874014940 35T Electric Motor	AXA1431	877493006228 7x70mm Post - Grey (2pcs)
AX31329	816874015015 35T Trail Breaker Electric Motor (Rebuildable)		



## EXPLORE

[facebook.com/axialinc](https://facebook.com/axialinc) | [instagram.com/axialracing](https://instagram.com/axialracing) | [twitter.com/axialrc](https://twitter.com/axialrc)  
[youtube.com/axialvideos](https://youtube.com/axialvideos) | [flickr.com/axialrc](https://flickr.com/axialrc)



© 2016 Feld Motor Sports, Inc. MONSTER JAM®, UNITED STATES HOT ROD ASSOCIATION®, USHRA®, and MAX-D™ are trademarks used under license by Feld Motor Sports, Inc. All rights reserved.

©2016 Axial R/C, Inc. A subsidiary of Hobbico, Inc. All Rights Reserved.

AX90057-I001